

ContecDG[®] Dispersing Granule Technology 18-24-5



FEATURES & USE TIPS:

- Patented dispersing granule formula
- Greatly reduces fertilizer loss due to ball, shoe & mower pickup.
- Provides a high level of phosphate for vigorous seedling growth & root development
- 35% slow release nitrogen from MUtech[™]

PRODUCT SPECIFICATIONS:

N - (18%):	4.80% Ammoniacal Nitrogen 7.84% Urea Nitrogen 3.15% Other Water Soluble Nitrogen* 2.21% Water Insoluble Nitrogen <small>*3.15% slowly available nitrogen from methylene ureas</small>
P - as P₂O₅ - (24%):	Ammonium Phosphate
K - as K₂O - (5%):	Potassium Sulfate
S - (1.70%):	Combined Sulfur

PRODUCT CODE:

AGC186WDG5

Date: 050911
Supersedes: 071409
Label: E11

PRODUCT CHARACTERISTICS:

Product Type:

Dispersible granular nutrient

Nitrogen Type:

MUtech[™]

Particle Size:

SGN: 150

Net Weight:

50 lbs.

Coverage:

9,500 sq. ft.
@ Medium Rate

Andersons Golf Products and ContecDG[®] are registered trademarks of The Andersons, Inc.; MUtech is a trademark of The Andersons, Inc.

To order, contact your local Andersons Golf Products distributor.

For more information, contact Andersons at our websites: www.contecdg.com and www.andersonsgolfproducts.com or call 1-800-225-2639.

Following is a specimen label that may at some point be revised or otherwise become out of date. It is intended as a guide in providing general information regarding the use of this product. Always read and follow the label on the product container.

PRODUCT SHEET

18-24-5

GUARANTEED ANALYSIS

Total Nitrogen (N)	18.00%
4.80% Ammoniacal Nitrogen	
7.84% Urea Nitrogen	
3.15% Other Water Soluble Nitrogen*	
2.21% Water Insoluble Nitrogen	
Available Phosphate (P ₂ O ₅)	24.00%
Soluble Potash (K ₂ O)	5.00%
Sulfur (S)	1.70%
1.70% Combined Sulfur (S)	

Plant nutrients derived from methylene ureas, ammonium phosphate, urea and potassium sulfate.

*3.15% slowly available nitrogen from methylene ureas

U.S. Patents #6,884,756 and #7,789,932

F292

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-ap.com>

DIRECTIONS FOR USE

Apply only as directed during the growing season.

Use Andersons Golf Products ContecDG® Dispensing Granule Technology 18-24-5 for fairways and other turf areas where a high phosphate fertilization is desired.

Watering in this product will disperse each granule into thousands of particles. This will facilitate the movement of the nutrients into the soil. This particle dispersion will also greatly reduce ball, shoe and mower pickup - minimizing nutrient loss.

Application Rates:

LIGHT:	3.13 lbs/1,000 sq. ft.
LOW:	4.20 lbs/1,000 sq. ft.
MEDIUM:	5.21 lbs/1,000 sq. ft.
HIGH:	6.25 lbs/1,000 sq. ft.

FLORIDA APPLICATIONS: We recommend that you follow the Florida Green Industries BMP's at http://www.flaes.org/pdf/BMP_Book_final.pdf

FLORIDA APPLICATIONS: We recommend that you follow the Florida Golf Course BMP's at <http://www.flaes.org/pdf/gfcbmp07.pdf>

Spreading with PTO driven spreaders: Excessive agitation of Contec DG can result in damage to the Contec DG particles. Keep the PTO operating at 540 rpm or less. DO NOT use agitation bars or stir bars, as this can result in the premature breakdown of Contec DG granules.

Spreader Settings:

Spreader settings are recommendations only and should be considered as a beginning point for user calibration. Results obtained by an applicator in the field may be different due to spreader production variations, spreader calibration differences, operating variables, and environmental factors (temperature, humidity, etc.). It is



recommended that applicators check the pattern and delivery rate for their particular spreader periodically under their operating conditions using the actual product to be applied.

For all applications:

Immediately after application, for optimum results, apply a minimum of 0.2 inches of water to disperse the granules.

Recent research has shown that environmental buffers prevent pollutants from entering our natural water bodies. To help protect these natural resources, avoid applying product to sidewalks, driveways, roadways, and other impervious surfaces. Sweep any misplaced granules back onto the area you are treating immediately after application, since storm drains often empty directly to nearby waterways.

Storage and Use:

Store in a clean, dry place.
Reseal opened bag by folding top down and securing.
Use only clean, dry spreaders.
Do not leave unused product in spreaders.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY: Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Product of USA

Manufactured by:
The Andersons Lawn Fertilizer Division, Inc.
P. O. Box 119
Maumee, Ohio 43537
www.andersonsturfturf.com

Andersons Golf Products and ContecDG are registered trademarks of The Andersons, Inc.


SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS			
			LIGHT RATE 3.13 lbs/1,000 sq. ft.	LOW RATE 4.20 lbs/1,000 sq. ft.	MEDIUM RATE 5.21 lbs/1,000 sq. ft.	HIGH RATE 6.25 lbs/1,000 sq. ft.
Andersons AccuPro 2000, SR-2000 (cone 6)	3 mph	10 feet	K	L 1/4	M 1/2	N 1/2
Andersons SS-2 Drop	3 mph	overlap wheels	4	4 1/2	5 1/4	5 3/4
Scotts R-8, R-8A (cone 6)	3 mph	10 feet	J 1/2	K 1/4	L 3/4	M 1/2
Lely Models WFR, WFR, HR, 1250 (PTO at 450 rpm) (Pattern III-C)	4.5 mph	34 feet	4 3/4	5 1/2	6	6 1/2
Vicon (03 Series)	4.5 mph	20 feet	16	19	21	24

Suggested Spreader Settings

These suggested spreader settings are not intended to replace calibration. Please calibrate your spreader before applying product.
50 lbs. feeds 15,000 sq. ft. (0.37 acre) with 0.75 lb. P₂O₅/1,000 sq. ft. at the LIGHT RATE (3.13 lbs/1,000 sq. ft.)
50 lbs. feeds 11,500 sq. ft. (0.27 acre) with 1.00 lb. P₂O₅/1,000 sq. ft. at the LOW RATE (4.20 lbs/1,000 sq. ft.)
50 lbs. feeds 9,000 sq. ft. (0.21 acre) with 1.50 lb. P₂O₅/1,000 sq. ft. at the MEDIUM RATE (5.21 lbs/1,000 sq. ft.)
50 lbs. feeds 8,000 sq. ft. (0.18 acre) with 1.50 lb. P₂O₅/1,000 sq. ft. at the HIGH RATE (6.25 lbs/1,000 sq. ft.)

SGN 150

Net Wt 50 Lbs (22.68 kg)



AGC186WDG5

E11 (AGCBLKPLCDGB)