

Turf Fertilizer 20-4-20



with NS-54 Nitrogen & Iron

FEATURES & USE TIPS:

- Utilizes NS-54 proprietary coated sulfur coated urea technology for controlled, even nutrient release.
- 12% of the total nitrogen is derived from NS-54
- Provides a controlled nitrogen feeding.
- Provides a high rate of potash from potassium chloride.
- Contains 5% iron for improved turf color.
- SGN 215 particle size is ideal for fairway and rough applications.

PRODUCT SPECIFICATIONS:

N - (20%):	1.56% Ammoniacal Nitrogen 18.44% Urea Nitrogen* *12.00% slowly available nitrogen from polymer coated sulfur coated urea
P - as P₂O₅ - (4%):	Ammonium Phosphate
K - as K₂O - (20%):	Potassium Chloride
S - (1.26%):	Free Sulfur
Fe - (5%):	Iron
Cl - (16.91%):	Max Chlorine

Following is a specimen label that may at some point be revised or otherwise become out of date. It is intended as a guide in providing general information regarding the use of this product. Always read and follow the label on the product container.

PRODUCT CODE:

AGC201FE5.1

Date: 040809
Supersedes: 050905

PRODUCT CHARACTERISTICS:

Product Type:
Fertilizer

Nitrogen Type:
NS-54™

Particle Size:
SGN: 215


Net Weight:
50 lbs.

Coverage:
10,000 sq. ft.
@ Medium Rate

Andersons Golf Products is a registered trademark of The Andersons, Inc.; NS-54 is a trademark of The Andersons, Inc.

To order, contact your local Andersons Golf Products distributor.

*For more information, contact Andersons at our website:
www.andersonsgolfproducts.com
or call 1-800-225-2639.*



Andersons
GOLF PRODUCTS®

Turf Fertilizer

20-4-20

**with NS-54™ Nitrogen
& Iron**

- Utilizes NS-54™ proprietary polymer-coated sulfur-coated urea technology for controlled, even nutrient release.
- Contains iron for improved turf color
- SGN 215 particle size is ideal for fairway & rough applications

Visit our website: AndersonsGolfProducts.com

SGN 215

Net Wt. 50 Lbs. (22.68 kg)



Turf Fertilizer 20-4-20

with NS-54™ Nitrogen & Iron

GUARANTEED ANALYSIS

Total Nitrogen (N)	20.00%
1.56% Ammoniacal Nitrogen	
18.44% Urea Nitrogen*	
Available Phosphate (P ₂ O ₅)	4.00%
Soluble Potash (K ₂ O)	20.00%
Sulfur (S)	1.26%
1.26% Free Sulfur (S)	
Iron (Fe)	5.00%
Plant nutrients derived from ammonium phosphate, urea, polymer coated sulfur coated urea, potassium chloride and ferric oxide.	F292
Chlorine (Cl) Max.	16.91%
*12.00% slowly available nitrogen from polymer coated sulfur coated urea	

Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-ap.com>.

DIRECTIONS FOR USE

Apply only as directed. Apply during the growing season. For use on fairways, roughs, and general turf where a more controlled release nitrogen feeding and a high potassium fertilization are desired.

Recent research has shown that well-maintained turf is an effective environmental buffer that prevents pollutants from entering our natural water bodies. To help protect these natural resources, avoid applying product to sidewalks, driveways, roadways, and other impervious surfaces. Sweep any misplaced granules back onto the area you are treating immediately after application, since storm drains often empty directly to nearby waterways.

Application Rates:

LIGHT:	2.30 lbs./1,000 sq. ft.
LOW:	3.70 lbs./1,000 sq. ft.
MEDIUM:	5.00 lbs./1,000 sq. ft.
HIGH:	6.20 lbs./1,000 sq. ft.

For all applications:

- Apply to dry foliage.
- Water in after application with a minimum of 0.2 inches to help move particles into the turf canopy.
- Do not collect clippings for at least one mowing following application to avoid particle pick-up.

Cool Season Grasses:

- Apply at the MEDIUM RATE during the growing season.
- When high temperatures (85°F or above) are anticipated, water in immediately after applying.
- Exception: Apply at the LIGHT RATE during periods of high temperatures.

Warm Season Grasses:

- Apply at the HIGH RATE during the growing season. Water in.
- Apply at the LOW RATE when temperatures are above 85°F.

Note: This product contains the micronutrient iron for extra greening and to help prevent iron deficiency. Iron may stain concrete and other surfaces. Misapplied product to these surfaces should be removed promptly by sweeping or blowing. **DO NOT WASH OFF WITH WATER.**

Storage and Use:

Store in a clean, dry place.
Reseal opened bag by folding top down and securing.
Use only clean, dry spreaders.
Do not leave unused product in spreaders.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Product of U.S.A.

Manufactured by:
The Andersons Lawn Fertilizer Division, Inc.
P. O. Box 119
Maumee, Ohio 43537

AGC201FE5.1

AGC201FE5.1B

©2008

Andersons Golf Products is a registered trademark of The Andersons, Inc.; NS-54 is a trademark of The Andersons, Inc.

Visit our website: AndersonsGolfProducts.com



Suggested Spreader Settings

These suggested spreader settings are not intended to replace calibration.

Please calibrate your spreader before applying product.

50 lbs. feeds 21,700 sq. ft. (0.50 acre) with 0.46 lbs. N/1,000 sq. ft. at the LIGHT RATE
50 lbs. feeds 13,500 sq. ft. (0.31 acre) with 0.74 lbs. N/1,000 sq. ft. at the LOW RATE
50 lbs. feeds 10,000 sq. ft. (0.23 acre) with 1.00 lbs. N/1,000 sq. ft. at the MEDIUM RATE
50 lbs. feeds 8,000 sq. ft. (0.19 acre) with 1.24 lbs. N/1,000 sq. ft. at the HIGH RATE

SPREADER	SPREADER SETTINGS					
	GROUND SPEED	WIDTH OF COVERAGE	LIGHT RATE 2.3 lbs./1K sq. ft.	LOW RATE 3.7 lbs./1K sq. ft.	MEDIUM RATE 5.0 lbs./1K sq. ft.	HIGH RATE 6.2 lbs./1K sq. ft.
The Andersons Rotaries AccuPro 1000	3 mph	13 feet	J 3/4	L	M	N
The Andersons Rotaries AccuPro 2000/SR-2000 (Cone 4)	3 mph	13 feet	J 3/4	L	M	N
Scotts Rotaries R-8, R-8A (Cone 4)	3 mph	13 feet	I 1/2	J 1/2	K 1/2	L 1/2
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm)	4.5 mph	40 feet	5 1/2 II-C	6 1/4 II-C	6 3/4 II-C	7 1/2 II-C
Vicon (03 Series-Standard Spout)	4.5 mph	38 feet	23	29	34	38