

# Turf Fertilizer 23-2-10

with Poly-S® Nitrogen & Iron



## FEATURES & USE TIPS:

- Utilizes Poly-S® coated slow release nitrogen to provide uniform growth with extended nitrogen feeding
- Contains iron for improved turf color
- Sixty percent of total nitrogen is derived from Poly-S slow release nitrogen
- SGN 150 particle size for use on fairways and roughs

## PRODUCT SPECIFICATIONS:

<b>N - (23%):</b>	0.78% ammoniacal nitrogen 22.22% urea nitrogen* *14.95% slowly available nitrogen from polymer coated sulfur coated urea
<b>P - as P<sub>2</sub>O<sub>5</sub> - (2%):</b>	Ammonium Phosphate
<b>K - as K<sub>2</sub>O - (10%):</b>	Potassium Sulfate
<b>S - (9.40%)</b>	6.00% Free sulfur 3.40% Combined sulfur
<b>Fe - (5%)</b>	Total Iron

*Following is a specimen label that may at some point be revised or otherwise become out of date. It is intended as a guide in providing general information regarding the use of this product. Always read and follow the label on the product container.*

## PRODUCT CODE:

**AGC231FE5.1**

Date: 073107  
Supersedes: 050205  
Bag: 2006

## PRODUCT CHARACTERISTICS:

### **Product Type:**

Fertilizer

### **Nitrogen Type:**

Poly-S®

### **Particle Size:**

SGN: 150

### **Net Weight:**

50 lbs.

### **Coverage:**

11,600 sq. ft.  
@ Medium Rate

Andersons Golf Products is a registered trademark of The Andersons, Inc.; Poly-S is a registered trademark of The Scotts Co.

*To order, contact your local Andersons Golf Products distributor.*

*For more information, contact Andersons at our website:  
[www.andersonsgolfproducts.com](http://www.andersonsgolfproducts.com)  
or call 1-800-225-2639.*

**PRODUCT SHEET**



**Andersons**  
GOLF PRODUCTS®

# Turf Fertilizer

## 23-2-10

---

**with Poly-S® Nitrogen  
& Iron**

- Utilizes Poly-S® coated slow release nitrogen to provide uniform growth with extended nitrogen feeding
- Contains iron for improved turf color
- SGN 150 particle size for use on fairways & roughs

*Visit our website: [AndersonsGolfProducts.com](http://AndersonsGolfProducts.com)*

**SGN 150**  
**Feeds Up To 23,800 Square Feet**

---

**Net Wt. 50 Lbs. (22.68 kg)**



# Turf Fertilizer 23-2-10

with Poly-S® Nitrogen & Iron

## GUARANTEED ANALYSIS

Total Nitrogen (N)	23.00%
0.78% Ammoniacal Nitrogen	
22.22% Urea Nitrogen*	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> )	2.00%
Soluble Potash (K <sub>2</sub> O)	10.00%
Total Sulfur (S)	9.40%
6.00% Free Sulfur (S)	
3.40% Combined Sulfur (S)	
Iron (Fe)	5.00%

Plant nutrients derived from ammonium phosphate, urea, polymer coated sulfur coated urea, potassium sulfate and ferric oxide. **F292**  
 \*14.95% slowly available nitrogen from polymer coated sulfur coated urea  
 Information regarding the contents and levels of metals in this product is available on the internet at <http://www.regulatory-info-ap.com>.

## DIRECTIONS FOR USE

Apply only as directed. Apply during the growing season.

### Application Rates:

LIGHT: 2.10 lbs./1,000 sq. ft.  
 MEDIUM: 4.30 lbs./1,000 sq. ft.

### For all applications:

- Apply to dry foliage.
- Water in after application with a minimum of 0.2 inches to help move particles into the turf canopy.
- Do not collect clippings for at least one mowing following application to avoid particle pick-up.

### Cool Season Grasses:

- Apply at the MEDIUM RATE during the growing season.
- When high temperatures (85°F or above) are anticipated, water in immediately after applying.
- Exception: Apply at the LIGHT RATE during periods of high temperatures.

### Warm Season Grasses:

- Apply at the MEDIUM RATE during the growing season. Water in.

Note: This product contains the micronutrient iron for extra greening and to help prevent iron deficiency. Iron may stain concrete and other surfaces. Misapplied product to these surfaces should be removed promptly by sweeping or blowing. DO NOT WASH OFF WITH WATER.

### Storage and Use:

Store in a clean, dry place.  
 Reseal opened bag by folding top down and securing.  
 Use only clean, dry spreaders.  
 Do not leave unused product in spreaders.

### IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

### WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Where permissible, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

### LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Product of U.S.A.

Manufactured by:  
 The Andersons Lawn Fertilizer Division, Inc.  
 P. O. Box 119  
 Maumee, Ohio 43537

## AGC231FE5.1

©2006

Andersons Golf Products is a registered trademark of The Andersons Agriservices, Inc.; Poly-S is a registered trademark of The Scotts Co.

Visit our website: [AndersonsGolfProducts.com](http://AndersonsGolfProducts.com)



## Suggested Spreader Settings

These suggested spreader settings are not intended to replace calibration.

Please calibrate your spreader before applying product.

**50 lbs. feeds 23,800 sq. ft. (0.55 acre) with 0.48 lbs. N/1,000 sq. ft. at the LIGHT RATE**  
**50 lbs. feeds 11,600 sq. ft. (0.27 acre) with 0.98 lbs. N/1,000 sq. ft. at the MEDIUM RATE**

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS	
			LIGHT RATE 2.1 lbs./1,000 sq. ft.	MEDIUM RATE 4.3 lbs./1,000 sq. ft.
The Andersons Rotaries AccuPro 1000/2000/SR-2000 (Cone 8)	3 mph	12 feet	J 1/2	L 1/2
Scotts Rotaries R-8, R-8A (Cone 8)	3 mph	11 feet	H 1/2	J
Lely Models WTR, WFR, HR, 1250 (PTO at 450 rpm)	4.5 mph	36 feet	4 1/2 I	6 I
Vicon (03 Series-Standard Spout)	4.5 mph	30 feet	19	29