

COMPASS™ G

Fungicide



FEATURES & USE TIPS:

- Broad spectrum strobiluran fungicide for control of brown patch, anthracnose, leaf spot, gray leaf spot and other diseases as listed.
- Contains same active ingredient as Compass™
- Compass G is a modern site-specific fungicide for use on turfgrass with protective and curative activity.
- Unique granular formulation for spreader application.

PRODUCT SPECIFICATIONS:

Active Ingredient: Trifloxystrobin (0.157%)

PRODUCT CODE:

AGCCS3

Date: 021907
Supersedes: 031706
Label: C6

PRODUCT CHARACTERISTICS:

Product Type:

Fungicide

Particle Size:

SGN: 75

Net Weight:

30 lbs.

Coverage:

15,000 sq. ft. @
Low Rate

Bags / Pallet:

45

Andersons Golf Products is registered trademarks;
Compass is registered trademark of Bayer AG.

*To order, contact your local
Andersons Golf Products
distributor.*

*For more information, contact
Andersons at our website:
www.andersonsgolfproducts.com
or call 1-800-225-2639.*

COMPASS[™] Fungicide

For control of certain foliar, stem, and root diseases of turfgrass including golf courses, institutional, commercial and residential lawns, sod farms, sports fields, parks, municipal grounds and cemeteries

For Professional Use Only.

Active Ingredient: Trifluystrobin (CAS No. 141571-7) 0.157%
 Trifluystrobin (CAS No. 141571-7) 99.843%
 Other Ingredients: 100.000%
 Total: 100.000%

EPA Reg. No. 432-1432-9198
 EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A
 (Underlined letter is first letter used on run code.)

KEEP OUT OF REACH OF CHILDREN. CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

Personal Protective Equipment

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Chemical-resistant gloves (such as natural rubber, Selection Category A)
- Shoes plus socks

Engineering Control Statements

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

- Users should:**
- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
 - Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

FIRST AID

- If in eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

In case of emergency call toll free the Bayer Environmental Science Emergency Response Telephone No. 1-800-334-7577. Have a product container or label with you when calling a poison control center or doctor, or going for treatment.

Note to Physician: If ingested, induce emesis or lavage stomach. Treat symptomatically.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to terrestrial areas below the mean high water mark. Drift and runoff may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment wash water or rinsate.

Ground Water Advisory

Several trifluystrobin degradates have properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep unprotected persons out of treated areas during application.

Do not apply by aerial application in the State of New York.

GENERAL INFORMATION

COMPASS G is a modern site-specific fungicide for use on turfgrasses with protective and curative activity. COMPASS penetrates the plant and provides translaminar activity via a high affinity for the waxy layer of the plant surface, localized vapor movement and redepotment on the plant.

Resistance Management: COMPASS G belongs to the strobilurin class of chemistry which exhibits no known cross-resistance to other chemical classes including sterol inhibitors, dicarboximides, benzimidazoles, anilopyrimidines, or phenylamides. However, certain fungal pathogens are known to develop resistance to products used repeatedly. Because resistance development cannot be predicted, the use of this product should conform to resistance management strategies. Such strategies may include rotating with products having different modes of action; or limiting the total number of applications per season. Bayer encourages responsible product stewardship to ensure effective long-term control of the fungal diseases on this label. See specific recommendations in the turf section.

Maximum Use Rates

For turfgrasses, up to 0.68 lbs of COMPASS G can be applied per acre per year.

TURFGRASS DISEASE CONTROL

COMPASS G is a preventive and curative fungicide that may be applied to turf sites including golf courses, institutional, commercial and residential lawns, sod farms, sports fields, parks, municipal grounds and cemeteries.

COMPASS G is a broad spectrum fungicide for the control of brown patch (*Rhizoctonia solani*), anthracnose (*Colletotrichum graminicola*), red thread (*Laetisaria triticeae*), pink patch (*Limonium roseopellis*), leaf spot (*Blotaris* spp., *Drechslera* spp.), gray leaf spot (*Pyricularia grisea*, rust (*Puccinia* spp.), pink snowmold (*Microdochium nivale*), leafscum patch (*Fusarium nivale*), rapid blight, and summer patch (*Microsporum poae*). COMPASS G will provide suppression of dollar spot (*Sclerotinia homoeocarpa*) and will not flare this disease.

1. STROBILURIN FUNGICIDES SUCH AS COMPASS G ARE BEST USED IN PREVENTIVE DISEASE CONTROL PROGRAM. CURATIVE APPLICATIONS CAN BE MADE FOR CERTAIN DISEASES.
2. Apply after mowing
3. Under conditions optimum for high disease pressure, use the higher rate and the shorter interval.

4. For optimum turf quality and disease control, use COMPASS G in conjunction with turf management practices that promote good health and optimum disease control.
5. Before use of any fungicide, proper diagnosis of the organism causing the disease is important. Use of diagnostic kits or other means of identification of the disease organism is essential to determine the best control measures.

COMPASS G CAN BE APPLIED TO ALL MAJOR TURFGRASS SPECIES. RATES ARE DEPENDANT UPON DISEASE AND THE CAUSATIVE ORGANISM.

Disease	Lbs of Product/1,000 sq. ft.	Application Interval/Timing
Brown Patch	2-4	14 days
	3-5	21 days
Leaf Spot	2-3	14 days
	3-5	21-28 days
Anthracnose	3-4	14 days
	5	21 days
Summer Patch	4-5	21-28 days
	4-5	21 days
Gray Leaf Spot	3-4	14 days
Rapid Blight	5	14 days
Red Thread, Pink Patch	2-3	14 days
	4-5	21 days
Rust	2-3	14 days
	4-5	21 days
Fusarium Patch	4-5	21 days
Pink Snow Mold	5	Late Fall

Do not apply more than 2 sequential COMPASS G fungicide applications for gray leaf spot control. Do not apply more than 3 sequential applications of COMPASS G fungicide for all other diseases. Alternate with a fungicide having a different mode of action.

Turfgrass Diseases Controlled with COMPASS G

After 21-28 days, apply either COMPASS G at 4 lbs every 14 days OR an alternate application of Andersons Cool Products 1% Bayleth Fungicide per the label every 21-28 days. Do not make more than 3 sequential applications of COMPASS G.

For curative applications, apply COMPASS G at 3.5 lbs. and repeat applications according to the application interval timing.

Apply one application in late fall before snow cover or early spring after snow melts. Do not apply on top of snow.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. **Pesticide Storage:** Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of pesticide as directed below. In spill

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	Suggested Spreader Settings			HEAVY RATE 0.34 lbs. AI/Acre
			LOW RATE 0.13 lbs. AI/Acre	MEDIUM RATE 0.20 lbs. AI/Acre	HIGH RATE 0.27 lbs. AI/Acre	
Andersons AccuPro 1000	3 mph	6 feet	J	J 1/2	K	K, 1/2
Andersons AccuPro 2000, SR-2000 (same g)	3 mph	6 feet	J	J 1/2	K	K, 1/2
Scotts B-BA (same g)	3 mph	6 feet	H 1/2	I	13/4	J 1/2
Andersons SS-2 Drop	3 mph	overlap wheels	2 3/4	3 1/4	4	4 1/2
Lely Models - WFR, WFR, HR, 1250 (P/O at 450 rpm), Pattern IV	4.5 mph	18 feet	3 3/4	4 1/4	5	5 1/2
Vicon (03 Series)	4.5 mph	13 feet	10	15	20	23

These suggested spreader settings are not intended to replace calibration. Please calibrate your spreader before applying product.

30 lbs. treats 15,000 sq. ft. (0.34 acre) at the 97 lbs. product/acre - LOW RATE (2.0 lbs./1,000 sq. ft.)
 30 lbs. treats 10,000 sq. ft. (0.23 acre) at the 131 lbs. product/acre - MEDIUM RATE (3.0 lbs./1,000 sq. ft.)
 30 lbs. treats 7,500 sq. ft. (0.17 acre) at the 174 lbs. product/acre - HIGH RATE (4.0 lbs./1,000 sq. ft.)
 30 lbs. treats 6,000 sq. ft. (0.14 acre) at the 218 lbs. product/acre - HEAVY RATE (5.0 lbs./1,000 sq. ft.)

or leak incidents, keep unauthorized people away. You may contact the Bayer Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer Kansas City Emergency Response Telephone No. is 800-414-0244 or contact Chemtrek at 800-424-9300.

Pesticide Disposal: Pesticide wastes may be toxic. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of federal law. If these wastes cannot be used according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance in proper disposal methods.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following conditions, disclaimer of warranties and limitations of liability.

CONDITIONS: The directions for use of this product are believed to be adequate and should be followed carefully. However, because of manner of use and other factors beyond Manufacturer's control it is impossible for Manufacturer to eliminate all risks associated with the use of this product. As a result, crop injury or ineffectiveness is always possible. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: MANUFACTURER MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Manufacturer is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. Manufacturer disclaims any liability whatsoever for special, incidental or consequential damages, resulting from the use or handling of this product.

LIMITATIONS OF LIABILITY: TO THE EXTENT ALLOWED BY LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BUYER ENVIRONMENTAL SCIENCE'S ELECTION, THE REPLACEMENT OF PRODUCT.

Compass is a registered trademark of Bayer AG

Manufactured by:

The Andersons Lawn Fertilizer Division, Inc.
 P.O. Box 119, Maumee, OH 43537

SGN 75

Net Wt. 30 Lbs. (13.61 kg)
 Treats up to 15,000 Sq. Ft.

C6b (AGCBLKPBULU.1B)

AGCCS3