



Turf Products

1% Bayleton® Fungicide

FEATURES & USE TIPS:

- Revised label - now includes home lawn uses and instructions.
- For control of Dollar Spot, Anthracnose, Brown Patch, Summer Patch, and other diseases as listed on the label for turf.
- Contains Bayleton® branded fungicide.
- Bayleton® fungicide is absorbed rapidly and works systemically from within the plant.

PRODUCT SPECIFICATIONS:

Active Ingredient: Triadimefon (1.0%)

PRODUCT CODE:

APTBY11.2

Date: 051311

Supersedes: 000000

PRODUCT CHARACTERISTICS:

Product Type:

Granular Fungicide

Particle Size:

SGN: 125

Net Weight:

15 lbs.

Coverage:

10,000 sq. ft @
Low Rate

Bags / Pallet:

96

The Andersons logo is a registered trademark of The Andersons, Inc.; Bayleton is a registered trademark of Bayer AG.

To order, contact your local Andersons Golf Products distributor.

*For more information, contact Andersons at our website:
www.andersonsgolfproducts.com
or call 1-800-225-2639.*

Following is a specimen label that may at some point be revised or otherwise become out of date. It is intended as a guide in providing general information regarding the use of this product. Always read and follow the label on the product container.

PRODUCT SHEET



Professional Turf™ Products

1% Bayleton® Fungicide

For control of certain diseases in turfgrass and sod farms

ACTIVE INGREDIENT: Bayleton Fungicide Per 1,000 sq. ft. 1.0%
OTHER INGREDIENTS 99.0%
Total 100.0%

*CAS No. 4312-433
EPA Reg. No. 9198-111
EPA Est. No. 9198-OH-1M, 9198-OH-2B, 9198-AL-001A
Underlined letter is first letter used in m code on bag.

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Personal Protective Equipment (PPE)
Some materials that are chemical-resistant to this product are barrier laminate, butyl rubber >14 mils, nitrile rubber >14 mils, neoprene rubber >14 mils. If you want more options, follow the instructions for category C on an EPA Chemical-Resistance category selection chart.

- Loaders, applicators, flaggers and other handlers must wear:
- Long-sleeved shirt and long pants,
 - Shoes plus socks, and
 - Chemical resistant gloves made of any waterproof material, such as neoprene rubber, barrier laminate, butyl rubber or nitrile rubber when loading.

User Safety Requirements
Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations
Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

	FIRST AID
If swallowed	<ul style="list-style-type: none">• Call a poison control center or doctor for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to by a poison control center or doctor.• Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Wash thoroughly with soap and water for 15-20 minutes.• Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contacts, if present, after the first 5 minutes, then continue rinsing.• Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, give artificial respiration, preferably mouth-to-mouth if possible.• Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8851 for emergency medical treatment information.
NOTE TO PHYSICIAN: No specific antidote is available. Treat symptomatically.

ENVIRONMENTAL HAZARDS
Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate.

Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to organisms in neighboring areas.

This product may contaminate water through runoff. This product has a high potential for runoff for several months or more after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product.

This chemical has properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Agricultural Use Requirements
Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and families of these workers. Read and understand all PPE statements on this label about personal protective equipment (PPE) and restrict specific instructions and exceptions pertaining to the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and families of these workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.
PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:
• Coveralls
• Chemical-resistant gloves made of waterproof material

Non-Agricultural Use Requirements
The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard, 40 CFR Part 170. The PPE that is required to be worn when this product is used to protect agricultural plants on farms, forests, nurseries, or greenhouses:
Do not enter or allow others to enter the treated area (except for those involved in watering-in) until watering-in is complete and the surface is dry.

APPLICATION
The Andersons Professional Turf Products 1.0% Bayleton Fungicide is absorbed rapidly and works systemically from within the plant. Rainfall or sprinkler irrigation soon after application will assure rapid systemic uptake. Control will be less effective on turf suffering from drought stress. Therefore, in order to achieve maximum control, plants should be maintained in a vigorously growing state through good cultural practices.

Apply when the turf is fully established and actively growing. Applications must be made at prescribed intervals to maintain disease control.

Do not use on crops grown for food or forage.

Harvesting or transplanting turfgrass grown on sod farms is prohibited for 17 days following application.

Precautions:
Do not enter or allow others to enter the treated area (except those involved in watering-in) until watering-in is complete and the surface is dry.

Application Restrictions for Turfgrass Uses
Maximum single application rate is 2.7 lb ai/A
Maximum annual application rate is 5.4 lb ai/A
Minimum retreatment interval is 14 days.

Residential Lawns
Use on residential lawns is limited to home lawns and turf sites associated with apartment buildings, day-care centers, playgrounds, parks and recreational parks.

Maximum single application rate is 2.0 lb ai/A
Maximum annual application rate is 5.4 lb ai/A
Minimum retreatment interval is 14 days.

Application to golf courses, including tees, greens, fairways, and roughs, is permitted only if the turfgrass is 2.5 inches or less in height.

DO NOT APPLY THIS PRODUCT IN ANYWAY THAT CONTACT ANY PERSON OR PET, EITHER DIRECTLY OR THROUGH DRIFT. DO NOT APPLY BY AERIAL APPLICATION.

APPLICATIONS TURF GRASS DISEASE CONTROL:

DISEASE	PREVENTATIVE	CURATIVE	REMARKS
Dollar Spot	1.5	--	PREVENTATIVE RATE: Apply at recommended rate on 30-day intervals. Preventive activity of Bayleton Fungicide will be as long as 60 days dependent upon environmental conditions. PREVENTATIVE RATE: Apply at recommended rate on 14-day intervals. Preventive activity of Bayleton Fungicide will be as long as 30 days dependent upon environmental conditions. CURATIVE RATE: Apply at recommended rate on 14-day intervals. The application of Bayleton Fungicide will be as long as 30 days dependent upon environmental conditions. To control existing infections, apply the curative rate. The application of Bayleton Fungicide will be as long as 30 days dependent upon environmental conditions. To control existing infections, apply the curative rate. The application of Bayleton Fungicide will be as long as 30 days dependent upon environmental conditions.
Copper Spot Powdery Mildew Fusarium Blight (Larissaria foetida) Rusts Brown Patch (Rhizoctonia stain) (Suppression)	1.5	--	PREVENTATIVE RATE: Apply at recommended rate on 30-day intervals. Preventive activity of Bayleton Fungicide can be greater than 30 days dependent upon environmental conditions. CURATIVE RATE: Apply at recommended rate on 14-day intervals. Preventive activity of Bayleton Fungicide can be greater than 30 days dependent upon environmental conditions.
Anthracnose Potamogeton decline	3.0	--	PREVENTATIVE RATE: Apply at 30-day intervals and repeat as necessary for seasonal control. Dependent upon environmental conditions, residual control may be extended to 45 days.
Stripe Smut	--	3.0	PREVENTATIVE RATE: Apply at 30-day intervals and repeat as necessary for seasonal control. Residual control may be extended to 30 days.
Fusarium Blight (Fusarium culmorum) Summer Patch (Phialophora gramineola) (Except California)	3.0	3.0	CURATIVE RATE: Apply at recommended rate on 14-day intervals. Preventive activity of Bayleton Fungicide will be as long as 30 days dependent upon environmental conditions and timing.

DISEASE	PREVENTATIVE RATES ONLY	REMARKS
Fusarium Blight (Fusarium culmorum) Summer Patch (Phialophora gramineola) (California only)	3.0 to 6.0 (For Residential Lawns*) (For Commercial Lawns*) (For Professional Turf Product*) (1,000 sq. ft.)	Apply first application in mid-June or 30 days prior to time this blight normally becomes evident. Applications should be made at the 6 to 8 day intervals.
Gray Snow Mold (Typhula incarnata) (Except California)	6.0 (Do not use on Residential Lawns)	Apply in fall 30 days prior to turf dormancy. If turf breaks dormancy during winter months, a second application should be made. Do not apply over snow cover or when turf is dormant.
Pink Snow Mold (Microbotryum nivale) Southern Blight (Sclerotinia rotis)	3.0 to 6.0 (For Residential Lawns*) (Do not exceed 4.6 lbs. of product/1,000 sq. ft.)	Apply before conditions favorable for infection occur. Repeat infection should be made as needed at 80 to 90-day intervals. Do not apply over snow cover or when turf is dormant. Use higher rates in areas with a history of severe disease damage.

NOTE: Apply the specified amount of The Andersons Professional Turf Products 1.0% Bayleton Fungicide with a standard granular applicator accurately calibrated to uniformly apply prescribed amount of product per 1,000 sq. ft. Mow the turf area and then apply product when turf is dry. After application and before the next mowing, water-in the product using a minimum of .025 inches of water or equivalent rainfall. For residential lawns, the applicator must notify the property manager of the watering-in requirements. Do not allow re-entry into treated residential turf areas until watering-in has been completed, and the turf is dry.

Do not use on crops for animal feed.

*Residential lawn including home lawns and turf sites associated with apartment buildings, day-care centers, playgrounds, playfields, recreational parks and elementary, middle and high schools.

SPREADER SETTINGS			
These spreader settings are not intended to replace calibrator. Please calibrate your spreader before applying product.			
SPREADER	Ground Speed	Width of Coverage	HIGH RATE 1.30 lbs. ai/acre
Andersons AccuPro 2000, SR-2000 (cone 6)	3 mph	6 feet	1 1 1/2
Andersons AccuPro 1000	3 mph	6 feet	1 1 1/2
Andersons SS2 Drop	3 mph	overlap wheels	3 1/4 4
Scotts R-8A (cone 6)	3 mph	6 feet	H H 1/2
Ley/Models WTR, WFR, HR, 1250 (PTO at 450 rpm) Pattern I/C	4.5 mph	15 feet	3 1/2 4
Vicon (35 Series)	4.5 mph	10 feet	16 20

NOTE: The above spreader settings are approximate. Differences may occur due to condition of spreader, speed at which applied and roughness of area to be treated. Measure area to be treated. Do not over or under apply. Close spreader when filling, turning or stopping. DO NOT HAND SPREAD.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage and disposal. Pesticide wastes are toxic. Keep container closed and away from food, feedstuffs, and domestic water supplies. Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate, is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Other recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, at a facility by State or local authorities, by burning, if burned, stay out of smoke.

IMPORTANT: READ BEFORE USE:
Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If items are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability.


WARRANTY DISCLAIMER AND LIMITATION OF LIABILITY:
Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's policy to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price of applicable product. Buyer's choice to use the product is the entire and exclusive agreement between Buyer and Manufacturer. COPIES OF THIS LABEL OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:
THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS. YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/ JURISDICTION TO STATE/JURISDICTION.

Attention: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

Net Wt. 15 Lbs. (6.8 kg)

The Andersons Professional Turf Division, Inc.
P.O. Box 19, Mansfield, OH 44837
www.andersonsturf.com



0 31865 31813 9
APTBY11.2
E11 (BLKP1526B)